



Republic of the Philippines
BANGSAMORO AUTONOMOUS REGION IN MUSLIM MINDANAO
BIDS AND AWARDS COMMITTEE
OFFICE OF THE CHIEF MINISTER

Bangsamoro Government Center, Governor Gutierrez Avenue, Rosary Heights VII, Cotabato City 9600

**IN RE: COMPETITIVE PUBLIC BIDDING FOR THE
SUPPLY AND DELIVERY OF MACHINERY AND
EQUIPMENT FOR THE BANGSAMORO SPORTS
COMMISSION**

ABC: PHP 1,373,361.20

ITB REFERENCE NO.: BSC-2021-020

SUPPLEMENTAL/BID BULLETIN NO. 2021-09-03


September 28, 2021/Safar 21, 1443 AH

Pursuant to the Revised Implementing Rules and Regulations of Republic Act No. 9184 otherwise known as the Government Procurement Reform Act, please be advised of the following clarifications and Modifications on the Bidding Documents with respect to the subject procurement.

SUBJECT	ORIGINAL	AMENDMENT
1. Approved Budget for the Contract (ABC)	ABC: Two Million One Hundred Thirty-Six Thousand Seven Hundred Sixty-One Pesos and Twenty Centavos (PHP 2,136,761.20)	<u>ABC: One Million Three Hundred Seventy-Three Thousand Three Hundred Sixty-One Pesos and Twenty Centavos (PHP 1,373,361.20)</u>
2. Schedule of Requirements	(Please refer to Annex A)	
3. Technical Requirements	(Please refer to Annex B)	

This Supplemental Bid Bulletin No. 01 is issued to modify or amend the corresponding items in the Bidding Documents.

For guidance and information of all concerned.


SHA ELIJAH B. DUMAMA-ALBA
Chairperson, Bids and Awards Committee

Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

<i>Item</i>	<i>Description</i>	<i>Quantity</i>	<i>Delivered, Weeks/Months</i>
1	Desktop Computer	6	Within 60 calendar days upon receipt of the NTP
2	Printer With Scanner	6	
3	Laptop	6	
4	UPS Power Supply	6	
5	Camera (DSLR)	1	
6	2.5 HP Air conditioner Wall Mounted	1	
7	Water Dispenser (Hot & Cold)	5	
8	Projector's w/ Screen	1	
9	Photocopier	1	
10	Drone	1	
11	CCTV 5-8 Camera	1	
12	ID Card Printer Dual-Sided with Ethernet	1	
13	Sound System	2	
14	TV	1	
15	Refrigerator	1	
16	Coffee Maker	2	

Technical Specifications

<i>Item</i>	<i>Specification</i>	<i>Quantity</i>	<i>State of Compliance</i>
Desktop Computer	<ul style="list-style-type: none"> - Motherboard: Brighton FHD - Memory: 8 GB DDR4-2666 SDRAM (1 x 8 GB) - Memory & Storage: 8 GB memory; 512 GB SSD storage - Internal Storage: 512 GB PCIe® NVMe™ M.2 SSD - Processor Type: Intel Core i5 - Processor: Intel® Core™ i5-10400T (2.0 GHz base frequency, up to 3.6 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 6 cores) - Processor Family: 10th Generation Intel® Core™ i5 processor - Processor Speed: 2.0 GHz - Graphics: Integrated - Graphics Card: Intel® HD Graphics 630 - Graphics: Discrete - Graphics Card: NVIDIA® GeForce® MX 350 (2 GB GDDR5 dedicated) - Ports: 1 SuperSpeed USB Type-A 5Gbps signaling 	6	
	<ul style="list-style-type: none"> rate (Battery Charging 1.2); 1 headphone/microphone combo - Expansion Slots: 2 M.2 (1 for SSD, 1 for WLAN) - Network Interface: Integrated 10/100/1000 GbE LAN - Wireless: Realtek 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 5 combo - Memory Card Device: HP 3-in-1 memory card reader - Dimensions: 54.03 x 16.5 x 43.53 cm - Weight: 6.9 kg - Power Supply Type: 150 W Smart AC power adapter - Keyboard: HP USB White wireless keyboard and mouse combo - Webcam: HP Widevision 5 MP IR privacy camera with integrated quad array digital microphone <p>Software:</p>		

	<ul style="list-style-type: none"> - HP Apps: HP Audio Switch; HP Display Control; HP Support Assistant - Software Included: McAfee LiveSafe™ 		
<p>Printer With Scanner</p>	<p>Printer Type: Print, Scan, Copy</p> <p>Printing Technology:</p> <p>Print Method: On-demand inkjet (Piezoelectric)</p> <p>Minimum Ink Droplet Volume:3 pl</p> <p>Printer Language: ESC / P-R</p> <p>Print Direction: Bi-directional printing</p> <p>Nozzle Configuration:180 x 1 nozzles Black, 59 x 1 nozzles per colour (Cyan, Magenta, Yellow)</p> <p>Maximum Resolution:5760 x 1440 dpi (with Variable-Sized Droplet Technology)</p> <p>Automatic 2-sided printing:No</p> <p>Print Speed:</p> <p>Photo Default – 10 x 15 cm / 4 x 6 “:Approx. 69 sec per photo (Border) / 90 sec per photo (Borderless) *1 Draft, A4 (Black / Colour): Up to 33 ppm / 15 ppm *1</p> <p>ISO 24734, A4 Simplex (Black / Colour): Up to 10 ipm / 5.0 ipm *1</p>	<p>6</p>	

	<p>First Page Out Time from Ready Mode (Black / Colour): Approx. 10 sec / 16 sec *1 Copy Speed:</p> <p>Copy Quality: Colour / Black-and-White; Draft / Standard</p> <p>Maximum Copies from Standalone:20 copies</p> <p>Maximum Copy Size: A4, Letter</p> <p>ISO 29183, A4, Simplex (Black / Colour): Up to 7.0 ipm / 1.7 ipm</p> <p>Max Copy Resolution:300 x 300 dpi</p> <p>Scan Function:</p> <p>Scanner Type: Flatbed colour image scanner</p> <p>Sensor Type:CIS</p> <p>Optical Resolution:600 x 1200 dpi</p> <p>Maximum Scan Area:216 x 297 mm (8.5 x 11.7")</p> <p>Scanner Bit Depth (Colour):48-bit input, 24-bit output</p> <p>Scanner Bit Depth (Grayscale):16-bit input, 8-bit output</p> <p>Scanner Bit Depth (Black & White):16-bit input, 1bit output</p> <p>Scan Speed:</p> <p>Flatbed (Black / Colour):200 dpi: 11 sec / 200 dpi: 32 sec</p> <p>Paper Handling:</p> <p>Number of Paper Trays:1</p> <p>Standard Paper Input Capacity: Up to 100 sheets-A4 / Letter Plain paper (80 g/m²) Up to 20 sheets-Premium Glossy Photo Paper 10 sheets-Envelope, 30 sheets-Postcard</p> <p>Output Capacity:Up to 30 sheets, A4 plain paper 20 sheets, Premium Glossy Photo Paper</p>		
--	--	--	--

Maximum Paper Size:215.9 x 1200 mm (8.5 x 47.24")

Paper Feed Method: Friction feed

Paper Size: Legal, Indian-Legal (215 x 345 mm), 8.5 x 13", Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 5 x 7", 4 x 6", Envelopes: #10, DL, C6

Print Margin:0 mm top, left, right, bottom via custom settings in printer driver *2 Electrical

Specifications:

Rated Voltage 220 - 240 V

Rated Frequency:50 - 60 Hz

Operating:12 W

Sleep:0.4 W

Power Off:0.3 W

Standby:3.9 W

Noise Level:

PC Printing / Plain Paper Default:6.5 B(A), 52 dB (A) *3

PC Printing/ Premium Glossy Photo Paper Best Photo:5.2 B(A), 38 dB (A)

Dimensions and Weight:
Dimensions (W x D x H):375 x 347 x 179 mm

Weight:3.9 kg

Consumables:

Black Ink Bottle:4,500 pages *4 - 003

Cyan Ink Bottle:7,500 (Composite Yield) *4 - 003

Magenta Ink Bottle:7,500 (Composite Yield) *4 -

003 Yellow Ink Bottle:7,500 (Composite Yield) *4 - 003

Printer

Software:

Operating System Compatibility: Windows XP /

Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016

Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later

	Interface: USB: USB 2.0		
Laptop	Design: - Product type: Notebook - Form factor: Clamshell Display: - Display diagonal: 39.6 cm (15.6") - Display resolution: 1920 x 1080 pixels - Touchscreen: No - HD type: Full HD - LED backlight: Yes - Native aspect ratio: 16:9 Processor: - Processor manufacturer: Intel - Processor: i5-1035G1 - Processor frequency: 1 GHz - Processor family: Intel® Core™ i5 generasi ke-10 - Processor number of cores: 4 - Configurable TDP-up frequency: 1.2 GHz - Configurable TDP-up: 25 W - Configurable TDP-down: 13 W - Configurable TDP-down frequency: 0.7 GHz Memory: - Internal memory: 8 GB - Internal memory type: DDR4-SDRAM - Memory slots: 1x SO-DIMM Storage: - Total storage capacity: 256 GB - Storage media: SSD - Total SSDs capacity: 256 GB - Number of SSDs installed: 1 - Solid-state drive capacity: 256 GB - Optical drive: No - Card reader integrated: No Graphics: - Discrete graphics adapter model: Not available - On-board graphics adapter: Yes - Discrete graphics adapter: No - On-board graphics adapter model: Intel® UHD Graphics Audio: - Number of built-in speakers: 2	6	

	<ul style="list-style-type: none"> - Built-in microphone: Yes <p>Camera:</p> <ul style="list-style-type: none"> - Front camera: Yes <p>Network:</p> <ul style="list-style-type: none"> - Top Wi-Fi standard: Wi-Fi 5 (802.11ac) - Wi-Fi standards: 802.11a,802.11b,802.11g,Wi-Fi 4 (802.11n),Wi-Fi 5 (802.11ac) - Ethernet LAN connection: Yes - Ethernet LAN data rates: 10,100,1000 Mbit/s <p>Ports & interfaces:</p> <ul style="list-style-type: none"> - USB 2.0 ports quantity: 2 - USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 1 - Ethernet LAN (RJ-45) ports: 1 - HDMI ports quantity: 1 - Combo headphone/mic port: Yes <p>Keyboard:</p> <ul style="list-style-type: none"> - Pointing device: Touchpad - Keyboard language: Spanish - Numeric keypad: Yes <p>Software:</p> <ul style="list-style-type: none"> - Operating system architecture: 64-bit - Operating system installed: Windows 10 Pro <p>Processor special features:</p> <ul style="list-style-type: none"> - Intel Trusted Execution Technology: No - Intel VT-x with Extended Page Tables (EPT): Yes - Intel TSX-NI: No - Intel Stable Image Platform Program (SIPP): No - Intel Software Guard Extensions (Intel SGX): Yes - Intel 64: Yes - Execute Disable Bit: Yes - Idle States: Yes - CPU configuration (max): 1 - Embedded options available: No - Intel Virtualization Technology for Directed I/O (VT-d): Yes - Intel Virtualization Technology (VT-x): Yes <p>Battery:</p>		
--	--	--	--

	<ul style="list-style-type: none"> - Battery technology: Lithium-Ion (Li-Ion) - Number of battery cells: 2 - Battery life (max): 8 h 		
--	---	--	--

	<ul style="list-style-type: none"> - AC adapter power: 45 W <p>Security:</p> <ul style="list-style-type: none"> - Fingerprint reader: No <p>Weight & dimensions:</p> <ul style="list-style-type: none"> - Width: 363.4 mm - Depth: 250.5 mm - Height: 19.9 mm 		
--	--	--	--

UPS Power Supply	<ul style="list-style-type: none"> - Microprocessor based digital control - Wide input voltage and frequency range - Input voltage 220/230/240 Vac 1 Phase 50Hz/60Hz - Output voltage 220/230/240 Vac 1 Phase 50Hz/60Hz - Overload & Short circuit protection - AVR boost and buck - Fastest charging capacity - Auto charging at off mode Product <p>Overview LED front Panel Features</p> <ol style="list-style-type: none"> a. Green Indicator light – indicates AC output b. Yellow indicator light – indicates battery status c. Red indicator light – indicates DC output d. Power On/Off button LCD front Panel Features <ol style="list-style-type: none"> a. Alarm b. Battery Capacity c. Load Capacity d. Output Voltage e. Input Voltage/ Frequency f. AC Mode g. Battery Mode <p>Rear front Panel Features</p> <ol style="list-style-type: none"> a. AC Fuse b. AC Input c. Output outlets <p>Performance Parameters: Output Sockets: 4 Runtime: Lasts up to 7 to 8 minutes with 1 PC at 180W connected to it. (time may vary depending on PC usage and power consumption) Sleep Mode Auto Swing LED Display Stylish Slim Type</p>	6	
------------------	--	---	--

Camera (DSLR)	Certification: ce Sensor Element Type: CMOS Type: DSLR Screen Size: 2" - 3" Memory Card Type:	1	
------------------	--	---	--

	SD Card Battery Type: Rechargeable Battery Pack Video Capture: Yes Color: Black Special Feature: Cheap Camera Place of Origin: Guangdong, China Image Stabilization: Yes Optical Zoom: > 7x Focal Length: TBD Image Resolution (Video): Full HD (1920x1080) Key Feature1: Dslr camera Key Feature2: 1080P video Key Feature3:		
--	--	--	--

2.5 HP Air conditioner Wall Mounted	1112554983_PH-3847782533 Energy efficiency (no of ticks) 5 ticks Model Hsn24iss Warranty Type Local Supplier Warranty warranty 10 Years Energy Efficiency (EGAT) Egat 5 Energy Efficiency Star 5 Stars Power Consumption (W) 900 Type Air Conditioner Single Split System Inverter	1	
--	---	---	--

Water Dispenser (Hot & Cold)	SKU 1007398529_PH-3352386138 Model WD 105 Water Dispenser Features Hot Water, Fast Heating, Cold Water, Child Lock Capacity (Liters) 20	5	
------------------------------	--	---	--

	Water Dispenser Type Freestanding Specification: Hot, Cold and Normal function With child lock safety function Heating capacity: 5L/Hour; ≥ 85°C Cooling capacity: 2L/Hour; ≥ 10°C Hot: 550W, Cold: 100W Refrigerant: R134a With storage cabinet Height: 0.96 meters / 39 inches Power Consumption: 230v - 60hz		
Projector w/ Screen	Projection Technology RGB liquid crystal shutter projection system Brightness White Light Output (Normal/Eco): 3,300lm / 2,050lm Color Light Output: 3,300lm Connectivity USB Interface's Type A: 1 (for USB Memory, USB Document Camera, for Wireless LAN Unit, Firmware Update) USB Type B: 1 (for USB Display, Mouse, K/B, Control, Firmware Update) Analog Input: D-Sub 15pin: 1 (Blue molding) Composite: RCA x 1 (Yellow) HDMI: 1 (MHL not supported) Audio Input: 2 RCA (White / Red): 1	1	
Photocopier	35 copies per minute speed Scan Once, Print Many; Color Scanning 2400 X 600 dpi resolution A3 maximum paper size Warm-up time approx. 20sec 25%-400% zoom magnification Memory - Approx 1GB RAM, 60GB HDD Touch screen control panel 80,000 duty cycle / monthly volume Slim Design with Built-in Automatic Duplex Unit 110 volts	1	

Drone	<ul style="list-style-type: none"> - Strong structure & excellent stability prolong its lifespan. - Lighter than that of carbon plate lock (6 motor bases) used by the first generation. - Distribution board was lock by a box on it. It is built with beautiful exterior design, shielding the interference signal. - Drone arms are built with a horizontally folded structure. Its carbon tubes adopt a special-shaped structure (The end next to the center plate is square and the other end close to motor base is round). - Made of integrated aluminum alloy, the center plate lasts for long. - Arm Installation: Directly lock with the matching tube clamp. It is safe and fast. It improves the installation efficiency. 	1	
-------	--	---	--

	<ul style="list-style-type: none"> - A top cover above the center plate enhances strength, protects internal electronic components, and makes it waterproof. <p>Specifications:</p> <ul style="list-style-type: none"> - Axis Numbers: 6-Axis - Recommended Load Capacity: 16KG - Wheelbase: 1670mm - Drone Frame Height: 600mm - Folded Size: 900mm - Medicine Tank Capacity: 15L - Center Plate: Integrated Aluminum Alloy (Including distribution board) <p>Recommended Power System (Not Included):</p> <ul style="list-style-type: none"> - Hobby wing COMBO XRotor Pro X8 Brushless Motor - Hobby wing 80A ESC - Hobby wing 3090 Fold Propeller 		
CCTV 5-8 Camera	<p>An Analogue, AHD, HD-CVI, HD-TVI, IP surveillance camera set 8-channel with 8 cameras 2560 x 1940 pixels and have 1 TB storage capacity. The recording takes place manually, according to a schedule, when motion is detected or permanently.</p> <p>Resolution of 2560 x 1940 pixels. Simply connect and operate.</p> <p>1 TB WD Purple Surveillance hard drive optimized for "non-stop" recordings</p>	1	

<p>ID Card Printer Dual-Sided with Ethernet</p>	<ul style="list-style-type: none"> • High-speed printing engine • Uptime increasing with less staff interruption • Wide-range of optional encoding modules • Intuitive user interface • Compact and lightweight body • Low noise in service Wide-range & Field Upgradable Encoding Options • Contactless smart IC chip encoding modules • Contactless (RFID) encoding module • Magnetic stripe card encoding module <p>Other Flexibilities</p> <ul style="list-style-type: none"> • Module Flipper • Ethernet connection module • High-capacity input hopper (400 cards loader) <p>SPECIFICATIONS AND DETAILS</p> <ul style="list-style-type: none"> • Print Technology: Dye Sublimation (Direct-to-card) • Print Capability - Edge-to edge printing - One-sided or dual-sided printing¹ - Full color (YMCKO) and monochrome printing • Print Resolution: 300dpi • Display: LCM (Liquid Crystal Monitor) 	1	
---	---	---	--

	<ul style="list-style-type: none"> • Memory: 64MB • Print Speed² - Full color printing (YMCKO) up to 180 cards per hour - Monochrome black printing up to 1400 cards per hour • Card Format: - CR-80 ASO7810 (53.98mm x 85.60mm) - Thickness from 0.25mm ~ 1.0mm ~ (10mil~40mil) • Input Capacity: 100 cards (0.76mm / 30mil) • Output Capacity: 50 cards (0.76mm / 30mil) • Supported OS: Windows 2000, XP, Vista, Windows 7 (32/64-bit), Mac 10.6, 10.7, 10.8, Windows 8 (32/64-bit) • Bundled Software: CardDésireé CS • Operating Condition: 15~32 °C (59~89.6°F), 20~75% RH non-condensing • Print Media - Full panel YMCKO 400 roll (Ribbon only), 16 rolls in a carton - 1/2 panel YMCKO 560 roll (Ribbon only), 16 rolls in a carton - Monochrome Resin Black 1000 roll (Ribbon only), 16 rolls in a carton • Optional Encoding Modules - Contact smart IC chip encoding module - Contactless (RFID) encoding module (ISO 14443A & B, ISO 15693) • Other Option & Accesories - Flipper module - Highcapacity input hopper (400 cards loader) - Ethernet TCP-IP connection module - Availability to be updated - cleaning roller (Dust arrester excluded) - Availability to be updated SOFTWARE Card Désireé CS • Friendly Template Design Interface • Convenient Database Connection • Batch Print Management • Superb Photo ID Editing Functions 		
<p style="text-align: center;">Sound System</p>	<p>Two PVi® 10 10" speaker enclosures Two PVi® 100 dynamic cardioid microphones Two speaker stands Includes PVi® 4B mixer Weight Packed: 81.00 lb(36.74 kg) Width Packed: 21"(53.34 cm) Height Packed: 28.5"(72.39 cm) Depth Packed: 20.75"(52.705 cm)</p>	2	
<p style="text-align: center;">TV</p>	<ul style="list-style-type: none"> -Display diagonal: 127 cm (50") -Display resolution: 3840 x 2160 pixels -HD type: 4K Ultra HD -Display technology: LED -Screen shape: Flat - Smart TV. Motion interpolation technolog : PQI (Picture Quality Index) -Native aspect ratio: 16:9 -Digital signal format system: 16:9 - DVB-T2. Wi-Fi, Ethernet LAN. VB-C 	1	

Refrigerator	<p>2 cu. ft. HD Inverter Bottom Mount Ref Energy Efficient Inverter Compressor 3 Bottom Freezer Drawers Double Fresh Zone Drawers (Ref Crisper) Independent Temperature Control No-Frost Eco-LED lights Spill-Proof Tempered Glass Shelves Recessed Handle Reversible Door Textured body (Rust and Stain Resistant) Ice Trays and Ice Cube Container 170W Input Power (H x W x D): 188 x 60 x 63 cm. Stainless Steel Door Finish</p>	1	
Coffee Maker	<ul style="list-style-type: none"> - Makes 10 cups with a water container capacity of 1.5L - Drip-stop device allows you to remove the jug anytime even while your coffee is brewing - Utilizes a permanent nylon V-shape filter that's easy to clean - Comes with a Water Level Window on both sides of the machine to indicate remaining water left - - Auto-Off Function turns off your coffee maker 9 minutes after last usage - Jug warmer base keeps your coffee hot after brewing <p>SPECIFICATIONS: WHAT YOU GET: (1) Drip Coffee Maker (ICM 2.1 B) NET WEIGHT: 2.7kg MATERIALS: Metal and High Quality Hard Plastic DIMENSIONS: 42cm (L) x 27cm (W) x 32cm (H)</p>	2	