

Republic of the Philippines BANGSAMORO AUTONOMOUS REGION IN MUSLIM MINDANAO

OFFICE OF THE CHIEF MINISTER

BIDS AND AWARDS COMMITTEE

Bangsamoro Government Center, Governor Gutierrez Avenue, Rosary Heights VII, Cotabato City 9600

INVITATION TO BID

NEGOTIATED PROCUREMENT-TWO FAILED BIDDINGS

SUPPLY AND DELIVERY OF MACHINERY AND EQUIPMENT FOR THE BANGSAMORO INFORMATION OFFICE (BIO)

IB No. TFB-BIO-032023-01

- 1. In view of two (2)- Failed biddings, the Office of the Chief Minister, through its Bids and Awards Committee (BAC), invites supplier to participate in the negotiation for the Supply and Delivery of Machinery and Equipment for the BIO, in accordance with section 53.1 of the revised Implementing Rules and Regulation (IRR) of Republic Act No. 9184 (RA 9184), otherwise known as the "Government Procurement Reform Act".
- 2. The Approved Budget for the Contract is **Two Million Twenty Thousand Eight Hundred Sixty-Three Pesos (PHP 2,020,863.00),** inclusive all applicable taxes.

Bids received in excess of the ABC shall be automatically rejected

- 3. The BAC will hold the first negotiation on March 29, 2023, 9:00 a.m. at 1st Floor, Bangsamoro Planning and Development Authority (BPDA) Conference Hall 2, BPDA, Bangsamoro Government Center, Cotabato City. The suppliers are requested to submit three (3) copies of its eligibility, technical and financial documents enumerated in Annex "A", which is attached hereto. Bids should be submitted in a sealed envelope.
- 4. Following the completion of the first negotiation, all prospective bidders are invited to submit its best and final offer to the BAC, through its secretariat, on or before March 31, 2023, 9:00 a.m. at the Procurement Service, Office of the Chief Minister, Bangsamoro Government Center, Cotabato City.
- 5. For further information, please refer to:

Bids and Awards Committee Secretariat

Procurement Service

1st floor, OCM-Annex Building, Bangsamoro Government Center,

Bangsamoro Government Center, Gov. Gutierrez Ave.,

Rosary Heights VII, Cotabato City

ocmbac@bangsamoro.gov.ph

0917-831-7214

MOHD ASNIN K PENDATUN

Chairperson, Bids and Awards Committee

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

II.

		Class "A" Documents
Leg	al Do	<u>cuments</u>
	(a)	Valid PhilGEPS Registration Certificate (Platinum Membership) (all
Ta	hniga	pages);
Tec		<u>I Documents</u> Statement of the prespective hidden of all its engaing government and
Ш	(b)	Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any,
		whether similar or not similar in nature and complexity to the contract
		to be bid; and
	(f)	Statement of the bidder's Single Largest Completed Contract (SLCC)
Ш	(-)	similar to the contract to be bid, except under conditions provided for in
		Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184,
		within the relevant period as provided in the Bidding Documents.
		The SLCC should be Contract for any IT related products and it should be
		at least equivalent to the 50% of the ABC.
		and
	(g)	Original copy of Bid Security. If in the form of a Surety Bond, submit also
		a certification issued by the Insurance Commission;
		Original convey of Notorized Rid Coguring Degleration, and
	(h)	Original copy of Notarized Bid Securing Declaration; and Conformity with the Technical Specifications, which may include
	(11)	production/delivery schedule, manpower requirements, and/or after-
		sales/parts, if applicable (Kindly refer to the attached Annex "B" and
		Annex "C"; and
	(i)	Original duly signed Omnibus Sworn Statement (OSS);
ш	(-)	and if applicable, Original Notarized Secretary's Certificate in case of a
		corporation, partnership, or cooperative; or Original Special Power of
		Attorney of all members of the joint venture giving full power and
		authority to its officer to sign the OSS and do acts to represent the Bidder.
<u>Fin</u>		<u>Documents</u>
	(j)	The prospective bidder's computation of Net Financial Contracting
		Capacity (NFCC). The NFCC should be at least equal to the ABC;
		or
		A committed Line of Credit from a Universal or Commercial Bank in lieu
		of its NFCC computation. Class "B" Documents
	(k)	If applicable, a duly signed joint venture agreement (JVA) in case the
	(N)	joint venture is already in existence;
		or
		duly notarized statements from all the potential joint venture partners
		stating that they will enter into and abide by the provisions of the JVA in
		the instance that the bid is successful.
FIN	ANCIA	AL COMPONENT ENVELOPE
	(1)	Original of duly signed and accomplished Financial Bid Form; and
	(m)	Original of duly signed and accomplished Price Schedule(s).

Technical Specifications

Item No.	Description	Quantity	Statement of Compliance (Kindly attach evidence of compliance to the specifications)
1	Processor: Core i7 10th Gen or higher; Memory: at least 16GB DDR4; Storage: at least 512 SSD or higher; Graphics: at least 8gb GDDRG or higher; Peripherals: Keyboard, mouse and speaker; Monitor: at least 28 inches; Operating System: at least windows 10 Home 64 bit or higher (licensed) and Microsoft Office 365 (licensed). with UPS	1	
2	CAPTOP Operation System: Windows 10 Home 64 bit or higher (Licensed) Processor: Core i7 10th Gen or higher Graphics: at least 6GB GDDR6 Display: at least 15.6" Memory: at least 16GB DDR4 or higher Storage: at least 512GB SSD or higher With Microsoft Office 365 (Licensed)	1	
3	LAPTOP Processor: intel Core i5 Memory: 8GB DDR4 Storage: 512GB SSD Display: 14" FHD Connectivity: HDMI, Wi-Fi, LAN, Bluetooth, Audio port OS: at least Windows 10 with Microsoft Office 2019 or higher	8	
4	DESKTOP SET Processor: Intel Core i5 or higher Memory: 4GB DDR4 or higher Storage: 320GB SSD or higher Monitor: 20 inches or higher	5	

	Peripherals: Mouse, Keyboard, UPS	I	1
	OS: at least Windows 10 with		
	Microsoft Office 2019 or higher		
5	PRINTER	3	
3	3 in 1 printer with eco tank and Wi-Fi	3	
	DSLR CAMERA		
	Body Type: Mirrorless		
	Max Resolution: 7008x4672		
	Effective Pixel: 33 megapixels		
6	Sensor size: Full frame (35.6 x 23.8mm)	1	
	Screen size: 3"		
	Minimum Shutter Speed: 30 sec.		
	Maximum Shutter Speed: 1/8000 sec.		
	DSLR CAMERA		
	24.2 Megapixel APS-C Exmor CMOS sensor		
	Continues shooting up to 11 fps		
7	Auto ISO 100 to 102,400	5	
	4k Movie Recording at 24/30 fps		
	Built-in Flash		
	Bluetooth/Wi-Fi/NFC compatible		
8	ZOOM LENS	1	
	100-400mm	_	
9	WIDE LENS	1	
	18-135mm		
	TRIPOD		
	Quick Release Camera Thread size: 0.25		
	Back tilt Range: 0-75 degree		
	Counter Balance: Fixed		
	Drag Control: Fixed		
10	Foot Mount: M10*1.5	3	
	Foot Type: PVC		
	Forward Tilt Range: 0-90 degree		
	Leg Sections: 3		
	Pan Drag: Fixed		
	Pan Lock: Yes		
	Panning Range: 0-360 degree		
11	CAMERA GIMBAL	1	
	Tilt Mechanical Range		

	Maximum: 180 degrees Minimum: 130 degrees		
	Roll Mechanical Range Maximum: 60 degrees Minimum: -280 degrees		
	Pan Mechanical Range Standard: 360 degrees		
	VIDEO CAMERA		
	20x optical zoom		
	29.5mm wide-angle lens		
12	Built-in 300 lumens LED	1	
	Dual SD card slots		
	Two-channel XLR audio input		
	HDMI output		
	TELEPROMPTER		
	Reading Range: 10'/3m		
	Beam Splitter Ratio: 70/30		
	Beam Splitter Size: 7.9 x 7.9"/20.1 x 20.1 cm		
13	Beam Splitter Shape: Square	1	
	Beam Splitter Material: Glass		
	Tripod Mount Type:		
	1x1/4"-20 Female		
	1x3/8"-16 Female		
	Accessory Mount: 2x1/4"-20 Female		
	RADIO COMMUNICATION		
	Frequency Range: 400-470 MHz		
	Channel Capacity: 16		
14	Antenna: Integrated Antenna	5	
	Antenna Impedance: 50Ω		
	Dimension: 96*55*22mm		
	PROJECTOR		
	Projection System: 3LCD, 3-chip technology		
15	Native Resolution: 1024 x 768 (XGA)	1	
	Color Brightness: 3600 lumens	_	
	White Brightness: 3600 lumens		
16	WIRELESS HDMI TRANSMITTER/RECEIVER	2	
10	Material: ABS	_	

	Compatible with: HDMI 1.4, 1.3 standard
	Maximum Supported Resolution: 1920 x 1080@60 Hz
	AIR PURIFIER
	Specification
	Product Net Weight: Approx. 5.6kg
	Noise: ≤64Db (A)
17	Particle Purification Efficiency: High
	PM CADR: 400m3/h
	Effective Coverage Area: 28-48m2
	Product Dimensions: 250x250x555mm

Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item No.	Description	Quantity	Delivered Weeks/Days
1	Processor: Core i7 10 th Gen or higher; Memory: at least 16GB DDR4; Storage: at least 512 SSD or higher; Graphics: at least 8gb GDDRG or higher; Peripherals: Keyboard, mouse and speaker; Monitor: at least 28 inches; Operating System: at least windows 10 Home 64 bit or higher (licensed) and Microsoft Office 365 (licensed). with UPS	1	Within 30 calendar days upon receipt of NTP
2	Captop Operation System: Windows 10 Home 64 bit or higher (Licensed) Processor: Core i7 10th Gen or higher Graphics: at least 6GB GDDR6 Display: at least 15.6" Memory: at least 16GB DDR4 or higher Storage: at least 512GB SSD With Microsoft Office 365 (Licensed)	1	
3	LAPTOP Processor: intel Core i5 Memory: 8GB DDR4 Storage: 512GB SSD Display: 14" FHD Connectivity: HDMI, Wi-Fi, LAN, Bluetooth, Audio port OS: at least Windows 10 with Microsoft Office 2019	8	
4	DESKTOP SET Processor: Intel Core i5 or higher Memory: 4GB DDR4 or higher Storage: 320GB SSD or higher Monitor: 20 inches or higher Peripherals: Mouse, Keyboard, UPS	5	

	OS: at least Windows 10 with Microsoft Office 2019 or higher	
5	PRINTER	
3	3 in 1 printer with eco tank and Wi-Fi	3
	DSLR CAMERA	4
	Body Type: Mirrorless	
	Max Resolution: 7008x4672	
	Effective Pixel: 33 megapixels	
6	Sensor size: Full frame (35.6 x 23.8mm)	1
	Screen size: 3"	
	Minimum Shutter Speed: 30 sec.	
	Maximum Shutter Speed: 1/8000 sec.	
	DSLR CAMERA	
	24.2 Megapixel APS-C Exmor CMOS sensor	
_	Continues shooting up to 11 fps	
7	Auto ISO 100 to 102,400	5
	4k Movie Recording at 24/30 fps	
	Built-in Flash	
	Bluetooth/Wi-Fi/NFC compatible	
8	ZOOM LENS	1
0	100-400mm	1
9	WIDE LENS	1
	18-135mm	1
	TRIPOD	
	Quick Release Camera Thread size: 0.25	
	Back tilt Range: 0-75 degree	
	Counter Balance: Fixed	
	Drag Control: Fixed	
10	Foot Mount: M10*1.5	3
	Foot Type: PVC	
	Forward Tilt Range: 0-90 degree	
	Leg Sections: 3	
	Pan Drag: Fixed	
	Pan Lock: Yes	
	Panning Range: 0-360 degree	
	CAMERA GIMBAL	4
11	Tilt Mechanical Range Maximum: 180 degrees	1

	Minimum: 130 degrees	
	Roll Mechanical Range Maximum: 60 degrees Minimum: -280 degrees	
	Pan Mechanical Range Standard: 360 degrees	
	VIDEO CAMERA	
	20x optical zoom	
	29.5mm wide-angle lens	
12	Built-in 300 lumens LED	1
	Dual SD card slots	
	Two-channel XLR audio input	
	HDMI output	
	TELEPROMPTER	
	Reading Range: 10'/3m	
	Beam Splitter Ratio: 70/30	
	Beam Splitter Size: 7.9 x 7.9"/20.1 x 20.1 cm	
13	Beam Splitter Shape: Square	1
	Beam Splitter Material: Glass	
	Tripod Mount Type:	
	1x1/4"-20 Female	
	1x3/8"-16 Female	
	Accessory Mount: 2x1/4"-20 Female	
	RADIO COMMUNICATION	
	Frequency Range: 400-470 MHz	
1.4	Channel Capacity: 16	5
14	Antenna: Integrated Antenna	3
	Antenna Impedance: 50Ω	
	Dimension: 96*55*22mm	
	PROJECTOR	
	Projection System: 3LCD, 3-chip technology	
15	Native Resolution: 1024 x 768 (XGA)	1
	Color Brightness: 3600 lumens	
	White Brightness: 3600 lumens	
16	WIRELESS HDMI TRANSMITTER/RECEIVER	2
10	Material: ABS	
L		

	Compatible with: HDMI 1.4, 1.3 standard		
	Maximum Supported Resolution: 1920 x 1080@60 Hz		
	AIR PURIFIER		
	Specification		
	Product Net Weight: Approx. 5.6kg		
	Noise: ≤64Db (A)		
17	Particle Purification Efficiency: High	1	
	PM CADR: 400m3/h		
	Effective Coverage Area: 28-48m2		
	Product Dimensions: 250x250x555mm		
	ZJUZZJUZJJJIIII	n	