# PHILIPPINE BIDDING DOCUMENTS

# CONSTRUCTION OF STOCK ROOM FOR THE GENERAL SERVICES DIVISION

Government of the Republic of the Philippines

Sixth Edition July 2020



# TABLE OF CONTENTS

<b>Glossary of Terms, Abbreviations, and Acronyms</b> Error! Bookm defined.	ark not
Section I. Invitation to Bid	3
Section II. Instructions to Bidders	7
Section III. Bid Data Sheet	13
Section IV. General Conditions of Contract	16
Section V. Special Conditions of Contract	21
Section VI. Specifications	23
Section VII. Drawings	24
Section VIII. Bill of Quantities	33
Section IX. Checklist of Technical and Financial Documents	42





# Republic of the Philippines BANGSAMORO AUTONOMOUS REGION IN MUSLIM MINDANAO

# OFFICE OF THE CHIEF MINISTER BIDS AND AWARDS COMMITTEE

Bangsamoro Government Center, Governor Gutierrez Avenue, Rosary Heights VII, Cotabato City 9600

# **Invitation to Bid for**

# Construction of Stock Room for the General Services Division

IB No.: OCM-GSD-052023-13

1. The Office of the Chief Minister, Bangsamoro Autonomous Region in Muslim Mindanao (OCM-BARMM), through the Government Appropriation Act of Bangsamoro 2023 intends to apply the sum of One Million Five Hundred Forty-Nine Thousand Eight Hundred Twenty-Eight Pesos (PHP 1,549,828.00) being the Approved Budget for the Contract (ABC) to payments under the contract for Construction of Stock Room for General Services Division.

Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

- 2. The **OCM-BARMM** now invites bids for the above Procurement Project. Completion of the Works is required within **120 Calendar Days from the receipt of Notice to Proceed**. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- 4. Interested bidders may obtain further information from **OCM-BARMM** and inspect the Bidding Documents at the address given below from **8:00 AM 5:00 PM**.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on May 22-June 13, 2023, 8:30 a.m. from the given address and website(s) below upon payment of the applicable fee for the Bidding Documents, in the amount of Five Thousand Pesos (PHP 5,000.00), pursuant to the latest Guidelines issued by the GPPB. The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person.

- 6. The OCM-BARMM will hold a **Pre-Bid Conference<sup>1</sup> on May 29, 2023, 9:00 a.m.** at 3<sup>rd</sup> floor, Bangsamoro Development and Authority (BPDA) Conference Hall 1, BPDA, Bangsamoro Government Center, Cotabato City, which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat through manual submission at 3<sup>rd</sup> floor, Bangsamoro Development and Authority (BPDA) Conference Hall 1, BPDA, Bangsamoro Government Center, Cotabato City, on or before June 13, 2023, 8:30 a.m. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
- 9. Bid opening shall be on June 30, 2023,9:00 a.m. at 3<sup>rd</sup> floor, Bangsamoro Development and Authority (BPDA) Conference Hall 1, BPDA, Bangsamoro Government Center, Cotabato City. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **OCM-BARMM** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

#### 11. For further information, please refer to:

a. Sale of Bidding b. Query on How to submit	Bids and Awards Committee Secretariat
bids c. Links for online	ocmbac@bangsamoro.gov.ph
connectivity for procurement activities d. Written Clarifications on the project	0917-831-7214
Plans, Drawings, and Bill of Quantities	General Service Division-OCM 0956-298-3335

5

<sup>&</sup>lt;sup>1</sup> May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a Pre-Bid Conference.

# 12. You may visit the following websites:

For downloading of Bidding Documents:

https://bangsamoro.gov.ph/transparency/bids-and-awards-commitee/#ITB



# Section II. Instructions to Bidders

## 1. Scope of Bid

The Procuring Entity, **OCM-BARMM** invites Bids for the **Construction of Stock Room for General Services Division**, with Project Identification Number OCM-GSD-052023-13.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

# 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for GOVERNMENT APPROPRIATION ACT OF BANGSAMORO 2023 in the amount of PHP 1,549,828.00.
- 2.2. The source of funding is: NGA, the General Appropriations Act or Special Appropriations.

# 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (c) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (d) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

# 4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract.

They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

# 6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that: **Subcontracting is not allowed.** 

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address as indicated in paragraph6 of the **IB**.

## 1. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 2. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

# 3. Documents Comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 4. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

#### 5. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

## 6. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in: Philippine Pesos.

# 7. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid for **120 CALENDAR DAYS FROM THE DATE OF BID SUBMISSION**. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

# 8. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

## 9. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

# 10. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

# 11. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 16 shall be submitted for each contract (lot) separately.
- 19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.


# 12. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

# 13. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.





# **Bid Data Sheet**

ITB Clause					
5.2	For this purpose, contracts similar to the Project refer to contracts which				
	have the same major categories of work, which shall be:				
	Constant at an at	C -4l			
	a. Construction of thereto; and	r stock roon	n or any c	otner contra	ict analogous
	b. at least equivale	ent to the 50º	6 of the ARC	`ner lot	
7.1	Not applicable.	int to the 50 /	0 of the fibe	per iou	
			(The		
10.3	PCAB License Requirem	ent is:	- All		
				Who were	
	Size Range : Small	В			
	License Category: C&D				).
10.4	The lease of the same				6
10.4	The key personnel must set below:	t meet the re	quirea mini	mum years	of experience
9	Civil/Site Engr	Building Cor	struction	min of 2 yrs	
F	Givii/Site Liigi	Dunuing Con	isu uction	iiiiii Oi Z yi s	6 VA
	El <mark>ectrical Eng</mark> ineer	Building Ele	ctr <mark>ica</mark> l	min of 2 yrs	- 10
	Safety Officer	Duilding Con	atrustion	min of 2 rms	
8 4	Safety Officer	Building Cor	Struction	min of 2 yrs	2 0
8 0	General Foreman	Building Cor	struction	min of 2 yrs	
		5 1111 6			3 8
8 =	Masons	Building Con	struction	min of 2 yrs	
Ø 7	Carpenters	Building Cor	struction	min of 2 yrs	SB
<b>V</b>	Electrician	Building Wir	ing	min of 2 yrs	B
<b>V</b>	7.	Installation		15	B
40	1			1	
Y	100				7
	AV.			YA	7
	W X			1	
				and the same of th	
	Add I				
	Let Market Marke		Mary Comment		
10.5	The minimum major equipment requirements are the following:			ing:	
	Equipment Number of Units				
	Truck		>		

	D	agan Cananata	1	
		agger Concrete ixer	1	
		caffoldings	As necessary	_
		lectrical Tool set	>1	
	Ca	arpentry Tool set	>1	
	Po	ower Tools (Drills,	>1	
	gr	inder, etc)		
	Pl	umbing tool set	As necessary	
12	Not applicable.			
15.1	the following for a. The amou LOT, if b draft/gua b. The amou	ms and amounts: unt of not less than two id security is in can arantee or irrevocable unt of not less than fi	ve percent (5%) of the	e ABC for each 's check, bank
16 NOW 3	Each Bidder are requested to submit one (1) original copy and two (2) certified true copies certified by the owner or its duly authorized representative whose full name and designation should be indicated below the signature.  Documents that are emanating from the bidder should be originally signed by the owner or its duly authorized representative, to wit: Statement of all ongoing government and private contract, Statement of Single Largest Completed Contract, Bid Securing Declaration, Technical Specifications, Omnibus Sworn Statement, Net Financial Contracting Capacity, Bid Form, Bill of Quantities, Detailed Estimates including summary sheet, and Cash Flow by Quarter.  Each bidder shall submit its bid proposal to a one mother envelope that shall contain 3 more envelopes containing 3 copies of its technical and financial documents. Each of the 3 envelopes shall contain two more envelopes labeled as technical and financial component. The envelopes must be properly and separately marked and sealed.			
19.2	Partial bids are n		Red alla Scalea.	
21			submitted by the wir	ning
21			ays from receipt of th	_
	Notice of Awar			-
	1100100 01 111701	<del></del>		
		schedule; tools utilization schon safety and health p	edule; orogram approved by M	IOLE;



## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

# 2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract (SCC)**, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

## 3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

# 4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

# **5.** Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

# 6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

# 7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

# 8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

#### 9. Termination for Other Causes

Contract termination shall be initiated in case it is determined prima facie by the Procuring Entity that the Contractor has engaged, before, or during the

implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

## 10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the **SCC**, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

# 11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the SCC.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

# 12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

# 13. Advance Payment


The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the **SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

# 14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the **SCC**, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

# 15. Operating and Maintenance Manuals

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC**.
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the SCC from payments due to the Contractor.





# **Special Conditions of Contract**

GCC Clause	
2	n/a
4.1	n/a
7.2	Fifteen (15) years.
10	Dayworks are applicable at the rate shown in the Contractor's original Bid.
11.1	The Contractor shall submit the <b>Program of Work</b> to the Procuring Entity's Representative within <b>ten (10)</b> days of delivery of the Notice of Award.
11.2	The amount to be withheld for late submission of an updated Program of Work is [insert amount].
13	The amount of the advance payment shall not exceed 15% of the total contract price and schedule of payment.
14	Materials and equipment delivered on the site but not completely put in place shall not be included for payment.
15.1	The date by which operating and maintenance manuals are required upon substantial completion.  The date by which "as built" drawings are required upon substantial
851	completion.
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is [amount in local currency].



#### A. GENERAL CONDITIONS DESCRIPTION OF THE PROJECT

Complete all works for the Construction of Stock Room including supply of all materials, equipment, and systems, as well as performance of all necessary labor and processes, in accordance with the plans, specifications, the Bidding Documents, the Terms of References and other related contract documents.

The contractor is not limited to the scope of works listed. They should verify all plans and actual conditions for the necessity of work. If the actual situation calls for demolition, removal and relocation he shall include such and all concomitant works to finish as part of the scope of work.

Any discrepancies found between the drawings and specifications and the site conditions or any errors or omission in the drawings or specification should be clarified with Architect/Consultant/Engineer.

Should the contractor fail to verify or clarify discrepancies, errors, conflict or omission in the drawings and specifications, it shall be deemed that the contractor have included in the preparation of his bid the necessary works, materials or items needed to satisfy the general scope of works.

#### B. SCOPE OF WORKS

#### 1. General Requirements

- 1.1 Complete Temporary Facilities (Temporary Water Service and Distribution; Electric Power and Lighting Services; Heating, Cooling and Ventilation; Telephone and Service Data; Temporary Facilities including Drinking Water; Storm and Sanitary Sewer; Storm Water Pollution Control;
- 1.2 Complete Support Utilities (Field Office for the General Contractor/Consultant; Storage and Fabrication Sheds; Dewatering Facilities and Drains; Temporary Enclosure; Temporary Stairs, Lifts, and Hoists; Temporary Exterior Lighting; Collection and Disposal of Waste and Clearing; Temporary Environmental Controls; and Temporary Barracks for On-Site Laborers /Manpower;
- 1.3 Complete Supply of Health, Safety and Security (First Aid Facilities; Health and Safety Officer; Security Guards for Site and Agency; Temporary Fire Protection; Barricades, Warning Signs and Lights; Environmental Protection and Traffic Ways;
- 1.4 Supply and Installation of Project Signs, Complete;
- 1.5 Mobilization and Demobilization;
- 1.6 Securing of Government Regulated Permits and Certifications including Building Permit, Occupancy Permit & Meralco Application Facilitation including plan reproduction to be submitted at the City Hall (building permit/occupancy permit plans, specifications, structural calculations and other pertinent permits);
- 1.7 Field Survey / Building Layout, Complete;
- 1.8 Bonds & Insurances:
- 1.9 As-Built Drawings, Complete.

#### 2. Concrete Works

- 2.1 Complete Supply and Installation of Formworks as per Plans, Drawing Details and Specifications.
- 2.2 Complete Supply and Installation of Reinforcing Bars including tie wires as per Plans, Drawing Details and Specifications.
- 2.3 Complete Supply and Installation of Concrete as per Plans, Drawing Details and Specifications.

#### 3. Masonry Works

- 3.1 Complete Supply and Installation of Concrete Hollow Blocks (CHB) as per Plan, Drawing Details and Specifications.
- 3.2 Complete Supply and Installation of Decorative Concrete Hollow Blocks (CHB) as per Plan, Drawing Details & Specifications.
- 3.3 Complete Supply and Installation of Lintel Beam & Stiffener Beam as per Plan, Drawing Details & Specifications.
- 3.4 Complete Supply and Installation of Stiffener Column as per Plan, Drawing Details & Specifications.

#### 4. Metal Works

4.1 Complete Supply and Installation of Truss Framing System complete with accessories as per Plan, Drawing Details and Specifications

#### 5. Thermal Protection

5.1 Complete Supply and Installation of Waterproofing System as per Plan, Drawing Details and Specifications

#### 6. Doors

6.1 Complete Supply and Installation of Doors, Door Jambs complete with door knobs/locksets, bolts, handles, hinges, patch fittings, sliding door track, U-Channel Hinges & other accessories needed as per Plan, Drawing Details and Specifications

#### 7. Finishes

- 7.1 Complete Supply and Installation of Ceiling Finishes as per Plan, Drawing Details and Specifications (from plastering complete up to painting works if needed) (Main Building, Utility Building, Pedestrian & Guard House)
- 7.2 Complete Supply and Installation of Floor Finishes as per Plan, Drawing Details and Specifications (complete up to painting works if needed) (Main Building, Utility Building, Pedestrian & Guard House)

#### 8. Electrical Works

- 8.1 Complete Supply and Installation of Panel Boards including panelboard complete with protection, neutral and grounding busbar, wire gutter and other accessories as per Plan, Drawing Details and Specifications
- 8.2 Complete Supply and Installation of Conduit complete with fittings and other accessories as per Plan, Drawing Details and Specifications
- 8.3 Complete Supply and Installation of wires & cables complete with consumable materials as per Plan, Drawing Details and Specifications
- 8.4 Complete Supply and Installation of the following Electrical Devices including boxes and accessories as per Drawing Details and Specifications

- 8.5 Complete Supply and Installation of the following Lighting Fixtures as per Drawing Details and Specifications
- 8.6 Complete Supply and Installation of Service Entrance Pedestal and Manhole complete with protection and other accessories as per Plan, Drawing Details Specifications
- 8.7 Complete Testing and Commissioning

#### 9. Earthworks

- 9.1 Clearing and Grubbing, complete
- 9.2 Complete Removal of Structures & Obstruction as per Specifications
- 9.3 Complete Building Excavation as per Specifications
- 9.4 Complete Backfilling and Compaction, as per Specifications
- 9.5 Complete Supply and Installation of Gravel Bedding as per Plans, Drawing Details and Specifications, complete
- 9.6 Complete Supply and Application of Soil Poisoning as per Drawing Details and Specifications, complete
- 9.7 Disposal of Excess Soil/Materials, complete

#### 10. Exterior Improvements

10.1 Complete Supply and Installation of Concrete Curb and Gutter as per Drawing Details and Specifications (start from concreting complete up to painting works if needed)

#### C. SPECIFICATIONS

All drawings, small scale and detail drawings are intended to collaborate with the specifications and to form part thereof, where figures are given, they are to be followed in preference to measurement by scale. Anything shown in the drawings and not mentioned in the specifications or vice-versa or anything not expressly set forth in either, but which is reasonably implied shall be furnished and installed as thought specifically shown in mentioned both.

#### Walls

Smooth plaster finish on all Concrete Hollow Block (CHB) walls including the Decorative Concrete Hollow Block (CHB), if necessary.

#### **Ceiling**

4.5 mm hardiflex cement board on semi-gloss paint finish

#### **Painting Works**

Application of Plastered Paint Finish on all interior and exterior walls/partitions, ceiling and concrete within the scope of the interior and exterior construction works unless otherwise indicated in the plans and specifications.

- a. Concrete surfaces
- b. Latex paint shall be used, and preparation and application must be
- c. according to the manufacturer's instructions.
- d. Wooden surfaces

- e. Enamel paints shall be used, and preparation and application must be
- f. according to the manufacturer's instructions.
- g. All paint materials shall meet the requirements of the specifications by the standardization committee on supplies and shall be delivered on the job in the original containing, with labels intact and seal unbroken.
- h. Tinting colors for all paints shall be colors in oil, ground and pure in linseed oil, and for the highest grade obtainable.
- i. Color pigments shall be used to produce the exact shades paint, which shall conform to the approved color scheme of the building.

#### **Tiling Works**

a. Wall to be finished with glazed tiles or elsewhere indicated as such in the drawings, shall be chipped off, cleaned thoroughly with wire brush, washed with clean water, and painted up solid with 1:2 cement mortar before applying wainscoting. The tiles and their accessories shall be free from imperfection that affects their quality, appearance, and strength. The tile should be thoroughly soaked in water before installation. All tiles for wainscoting shall be set to correct grades and level true to lines, laid even and shall be set truly vertical in accordance with the details shown on the drawing the tiles shall be firmly laid on 1:2 cement paste.

#### Electrical Works

- a. Quality Assurance All materials to be used shall be new and shall conform with the reference codes and standards. Use of materials shall be further be governed by other requirements, impose on other sections of these specifications. Materials shall be subject to test necessary their fitness if so requires.
- b. Alternate Materials use of any material, not specified in these specifications may be allowed provided such alternate has been approved agency in accordance with generally accepted standards.
- c. Identification of Materials Each length of pipe, fitting, box, fixture and device used in the electrical system shall have cast, stamped or indelibly marked on it the manufacturer's trademark or name, the weight, type and classes or product when so required by the standards mentioned above.

#### d. Conduit

- i. Conduit shall be hot dip galvanized mild steel IMC pipe (standard IMC pipe with inside wall epoxy coating) or polyethylene coated (PE Coated) IMC in 3.0 M length. UL. listed. Fittings shall be threaded type as required.
- ii. Stainless Conduit Pipe/ PE Coated IMC Pipe All exposed & embedded conduit pipes for power, control circuits, feeders & sub- feeders inside anodizing and/or corrosive areas to be installed by the electrical, mechanical, process and fit-out contractors for the refrigeration systems shall comply with this requirement. Likewise, all installation hardware and materials including clamps, hangers and bolts shall be of the same material as the required stainless conduit pipe or PE Coated IMC pipe.

- iii. Metallic conduits for interior and exterior systems shall be standard weight, mild steel, hot dip galvanized with an interior coating. PVC non-metallic embedded in the concrete slabs, concrete walls and partitions shall be approved of manufacturing standard.
- iv. Schedule 40 PVC is acceptable in installations embedded in the concrete wall partitions or concrete slab, no installation of PVC in any exposed layout.
- v. No conduit shall be used in any system smaller than 15mm dia. Electric trade size, nor shall have more than four 90-degree bends in any one run and when necessary, pull boxes gauge 16 shall be provided as directed. Location and sizes of pull boxes shall be cleared to the engineer prior to fabrication and installation.
- vi. No wires shall be pulled into any conduit unless the conduit system is complete in all details. In the case of concealed work, no wires shall be pulled until all rough plastering or masonry has been completed and in the case of exposed work, until the conduit has been completed in every detail.
- vii. The ends of all conduits shall be tightly plugged to include plaster, dust and moisture while the project is in the process of construction.

## e. Polyvinyl Chloride Conduit (PVC)

- i. Conduit shall be polyvinyl chloride, schedule 40, 3.0 M length. Fittings shall be slip-on type with threaded end adapter.
- ii. Application Power Service Entrance, primary and secondary feeder roughing-ins in duct-bank from transformer secondary terminal to low voltage switchgears and from low voltage switchgear to dry warehouse electrical room.

#### f. Flexible Conduit

- i. Flexible conduit shall be hot-dip galvanized mild steel. This requirement covers installation on indoor electrical rooms and equipment rooms where possible damping or presence of liquids are ruled out.
- ii. Liquid-tight flexible metallic conduit shall be UL listed to be coupled with liquid-tight die cast metal conduit connectors.
- Applications: Liquid-tight flexible conduit shall be used on all wet or damped areas and control gear areas of installations where liquids materials and dusts are prevalent.

#### g. Wires and Cables

- i. All wires shall be copper, soft-drawn and annealed, shall be of 99% conductivity, shall be smooth and true and of the cylindrical form and shall be within +/-1% variation of the actual size called for.
- ii. Wires and cables shall be plastic insulated for 600 volts working pressure, type THHN/THWN unless otherwise noted.
- iii. All wires and cables shall be color coded, color-coding of wires are as follows:
  - 1. Line 1 red
  - 2. Line 2 yellow
  - 3. Line 3 blue
- iv. Minimum size of branch circuit wire shall be 3.5 mm2 THW or THWN for power and lighting

- v. system with 2.0mm2 THW minimum ground wire.
- vi. Wires 2.5 mm2 and smaller shall be solid or stranded and 3.5 mm2 and bigger shall be
- vii. stranded.

### h. Conduits & Cable Supports

- i. All conduits and suspended electrical gears and equipment shall be supported by using NEMA Rated and Approved channel support systems. All support systems shall be properly sized and installed as per code requirements.
- ii. The channel support systems including its mounting and hanger accessories shall be hot-dipped galvanized finished.
- iii. Cable ladders and wire-way shall be NEMA rated and approved. It shall be hot-dipped galvanized finished. Hangers and support system for cable ladders & wire-way shall be approved brand conforming to NEMA rating & standards.
- iv. All conduits and cable support systems inside the building areas shall be of stainless materials including installation accessories including bolts & nuts.

#### i. Outlet Boxes and Covers

- i. Outlet boxes and covers shall be cast hot-dip galvanized steel. Thickness of the outlet boxes and covers shall be code gage and no less than gage #16. Boxes shall be deep type unless otherwise noted. This should be conformed and be used on all dry areas of installations.
- ii. Stainless steel outlet boxes and covers shall be required on all exposed or hazardous location and wet meas.

#### j. Junction and Pull Boxes

- i. Junction and pull boxes, per code gauge steel, shall be provided as indicated or as required for facilitating the pulling of wires and cables. Pull boxes in finished places shall be located and installed with the permission of and to the satisfaction of the architect and engineer. Sizes shall be subject to the approval of the engineer.
- ii. Pull boxes shall be fabricated with hinged type, demountable and lockable covers if necessary. Knockouts shall be maintained for straight pull installation along two opposite side of the box only.
- iii. Pull boxes for straight pulls shall have the length of the box not less than fortyeight times the outside diameter of the largest non-shielded conductor or cable.

#### k. Switches

- i. Switches shall be flush mounted and rated at 15 Amps, 250 volts, one way, three-way as required.
- ii. Switches shall be quiet type, spring loaded, and the cover plates shall be subject to the approval of the Architect and the Engineer.

#### 1. Receptacles

- i. Receptacles shall be duplex, flush mounted and rated at 10 Amps., 250 volts, parallel or tandem slots with grounding slots as required. All 110 volts receptacle outlets shall be rated 15 Amps, 120 volts. 220 volts receptacle outlets shall be distinct from the 110 volts receptacle outlets in terms of configurations and shall be provided with markings.
- ii. Cover plates shall be subject to the approval of the Architect and the Engineer. Stainless steel cover plate shall be required on all wet or damped area.
- iii. All receptacle outlets with GFCI shall be rated for 250 volts application with a sensitivity setting of 300 milliamps.

#### m. Individual Breaker and Switches

- i. Provide individual circuit breakers and disconnect switches when indicated on the plans. Voltage rating shall be suitable in each case of service application.
- ii. Enclosure for indoor application shall be NEMA-1, and for outdoor application shall be NEMA 3R unless otherwise indicated on the plans.
- circuit breakers shall consist of quick-make, quick-break type entirely tip free operating mechanism contacts with arc interrupter and thermal magnetic trip used for each pole and enclosed in molded phenolic case. The thermal magnetic trip shall be provide time delay overload protection and instantaneous short circuit protection and shall operate internal common trip bar which will open all poles in case of overload or short circuit in any one pole. Circuit breaker shall be trip indicating with the trip position of breaker midway between "ON" and "OFF" positions.
- iv. Only one single brand of circuit breaker shall be used on the entire project requirements.
- v. Minimum interrupting capacities of each circuit breaker are 10kaic; application of circuit breakers shall be approved for the intended load per panel board schedule.
- vi. Safety and disconnect switches shall be non-fusible and of sizes indicated on the plans and shall be normal duty type, except as noted otherwise. Enclosure shall be NEMA-1 for indoor use and NEMA3R for outdoor use.

### n. Circuit Breakers

- i. Circuit breaker shall be thermal magnetic type with quick make, quick break trip free operating mechanism with contacts.
- ii. Circuit breaker shall be molded case bolt-on type complying with NEMA and UL or IEC standards.
- iii. All main circuit breaker shall be bolt-on, molded case and industrial type circuit breaker located at center complying with NEMA and UL standards.
- iv. The thermal magnetic trip unit shall provide time-delayed for overload protection and instantaneous for short circuit in any on pole.
- v. Multi-pole breaker shall operate on a common internal trip which will open all poles in case of overload or short circuit in any on pole.
- vi. Breaker minimum interrupting capacity shall be as specified in plans.
- vii. Circuit breakers with GFCI are to be rated for the voltage applied and with sensitivity setting of 300 milliamps.

- viii. All feeder circuit breakers of the main switchgear (LVSG) shall be Draw- out type unless otherwise specified or indicated but should have shunt trip mechanism and accessories for future additional protection relays that should be field mountable.
- o. Panel board Wall mounted gauge no.16 steel sheet, baked enamel finish (color gray), 1 enclosure with grounding terminal bus with lugs.


Individual CB: Indoor – NEMA 1





# **Section VII. Drawings**


[Insert here a list of Drawings. The actual Drawings, including site plans, should be attached to this section, or annexed in a separate folder.]



















## **Section VIII. Bill of Quantities**

#### **Notes on the Bill of Quantities**

#### **Objectives**

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

#### Daywork Schedule

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

#### **Provisional Sums**

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

#### Signature Box

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

# Section IX. Checklist of Technical and Financial Documents

#### Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.



## **Checklist of Technical and Financial Documents**


#### I. TECHNICAL COMPONENT ENVELOPE

## Class "A" Documents

Legal Documents
(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;
Technical Documents
(e) Statement of the prospective bidder of all its ongoing government and
private contracts, including contracts awarded but not yet started, if any,
whethe <mark>r similar or</mark> not similar in nature and complexity to the contract to be bid; and
907
(f) Statement of the bidder's Single Largest Completed Contract (SLCC)
similar to the contract to be bid, except under conditions provided under the rules; and
(g) Special PCAB License in case of Joint Ventures and registration for the
type and cost of the contract to be bid; and
(h) Original copy of Bid Security. If in the form of a Surety Bond, submit also
a certification issued by the Insurance Commission or original copy of
Notarized Bid Securing Declaration; and
(i) Project Requirements, which shall include the following:
a. Organizational chart for the contract to be bid;
b. List of contractor's key personnel (e.g., Project Manager, Project
Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and
experience data;
c. List of contractor's major equipment units, which are owned,
leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the
equipment lessor/vendor for the duration of the project, as the
case may be; <u>and</u>
(j) Original duly signed Omnibus Sworn Statement (OSS) <u>and</u> if applicable,
Original Notarized Secretary's Certificate in case of a corporation,

partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

	<u>Financia</u>	<u>I Documents</u>
	(k)	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).
		Class "B" Documents
	(l)	If applicable, duly signed joint venture agreement (JVA) in accordance
		with RA No. 4566 and its IRR in case the joint venture is already in
		existence <u>or</u> duly notarized statements from all the potential joint venture partners
		stating that they will enter into and abide by the provisions of the JVA in
		the instance that the bid is successful.
	E	
II.		AL COMPONENT ENVELOPE
	(m)	Original of duly signed and accomplished Financial Bid Form; and
	Other do	cume <mark>ntary requi</mark> rements under RA No. 9184
	(n)	Ori <mark>ginal of du</mark> ly signed Bid Prices in the Bill of Quantities; and
	(o)	Duly accomplished Detailed Estimates Form, including a summary shee
		in <mark>dicating th</mark> e unit prices of const <mark>ruction</mark> materials, labor rates, and
		equipment rentals used in coming up with the Bid; and
	(p)	Ca <mark>sh Flow by Q</mark> uarter.
	V) 1	D M F B
	W.	
	W	7.\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	V	
	4	
		W × × ×
		2019
		All Indiana



## **Bid Form for the Procurement of Infrastructure Projects**

[shall be submitted with the Bid]

	BID FORM
	Date:
	Project Identification No. :
To: <b>OFF</b>	CE OF THE CHIEF MINISTER
Bangsamo	ro Government Center, Cotabato City
E	
	ving examined the Philippine Bidding Documents (PBDs) including the Supplemental
	letin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, igned, declare that:
Ø	
- W	$\leq \langle                                     $
a.	We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for
Y	the Procurement Project: [insert name of contract];
	(AZ)   ZB
b.	We offer to execute the Works for this Contract in accordance with the PBDs;
	The total price of our Bid in words and figures, excluding any discounts offered below
c.	is: [insert information];
d.	The discounts offered and the methodology for their application are: [insertinformation];

e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the


detailed estimates,

- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of [insert percentage amount] percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>2</sup> for this purpose;
- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- l. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

\_

<sup>&</sup>lt;sup>2</sup> currently based on GPPB Resolution No. 09-2020

Name:
Legal Capacity:
Signature:



#### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE	E PHILIPPINES)	
		The same of the sa
CITY OF	) S.S.	All In
	ALIS RE	

#### **BID SECURING DECLARATION**

**Project** Identification No.: [Insert number]

To: Office of the Chief Minister

Bangsamoro Government Center, Cotabato City

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a

waiver to avail of said right; and

c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

## [Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

**Affiant** 

SUBSCRIBED AND SWORN	to before me this	day of [month]	[year] at [place of
execution], Philippines. Affiant/s is/are	personally known to	me and was/were	e identifi <mark>ed</mark> by me
through competent evidence of identity	as defined in the 200	4 Rules on Notar	ial Practice (A.M
No. 02-8-13-SC). Affiant/s exhibited to	me his/he <mark>r [insert typ</mark>	e of government	identifica <mark>tio</mark> n card
used], with his/her photograph and sign	ature appearin <mark>g there</mark>	on, with no	and his/her
Comm <mark>un</mark> ity Tax Certificate No	_ issued on at	. /	

Witness my hand and seal this \_\_\_\_ day of [month] [year].

#### NAME OF NOTARY PUBLIC

Serial No. of Commission
Notary Public for until
Roll of Attorneys No
PTR No [date issued], [place issued
IRP No [date issued] [place issued]

Doc. No. \_\_\_\_ Page No. \_\_\_\_ Book No. \_\_\_\_ Series of \_\_\_

#### **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES )
CITY AND INICIDAL ITY OF
CITY/MUNICIPALITY OF) S.S.
AFFIDAVIT
I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of
Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
Third it, diet having been daily sworn in decordance with law, do notedy depose and state that.

1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the Office of the Chief Minister, as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the Office of the Chief Minister, as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign

government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the

Contract; c. Making an estimate of the facilities available and needed for	r the contract to be bid, if any;
<ul><li>and</li><li>d. Inquiring or securing Supplemental/Bid Bulletin(s) issued f</li></ul>	for the [Name of the Project].
9. [Name of Bidder] did not give or pay directly or indirectly, any any form of consideration, pecuniary or otherwise, to any per representative of the government in relation to any procurement	rson or official, personnel or
10. In case advance payment was made or given, failure to perform of and undertakings in the contract shall be sufficient grounds to a Swindling (Estafa) or the commission of fraud with unfaithfur through misappropriating or converting any payment received by obligation involving the duty to deliver certain goods or services and the government of the Philippines pursuant to Article 315 amended, or the Revised Penal Code.	onstitute criminal liability for lness or abuse of confidence by a person or entity under an , to the prejudice of the public
IN WITNESS WHEREOF, I have hereunto set my hand the, Philippines.	is day of, 20 at
	ER OR ITS AUTHORIZED ENTATIVE]
[Insert signatory'	s legal ca <mark>pa</mark> city]
Affi	ant
<b>SUBSCRIBED AND SWORN</b> to before me this day execution], Philippines. Affiant/s is/are personally known to me ar through competent evidence of identity as defined in the 2004 Rule No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of g	nd was/were identified by me es on Notarial Practice (A.M.
used], with his/her photograph and signature appearing thereon, w Community Tax Certificate No issued on at	

Witness my hand and seal this \_\_\_\_ day of [month] [year].

#### NAME OF NOTARY PUBLIC

	Serial No. of C	commission
	Notary Public for until	
	Roll of Attorneys No	
	PTR No.	[date issued], [place issued]
MOU	IBP No	_[date issued], [place issued]
Doc. No		15/
Page No		120
Book No		A NEW
Series of		
32		N /SE
9 5 N		
831		
V/2/		
A TO I		108
		A A
2		

## Statement of Single Largest Completed Contract Similar to the Contract to be bid

Name/Title of the Single Contract:		
	OUS REG	
Parties to the Contract:		
a	; and	
b		
97/	1 1 1 5 N	
Amount of the Contract:	(inclusive of all applicable taxes	
and other charges/VAT exclusive)		
Date of Completion:		
Contract Period/Duration:		
85/	W 5 B	
Description of Similar Contrac	et: (description should show similarity with the requirement)	
	2019	
<b>Supporting Documents attached on the document submitted:</b>	I showing the above information. Please put a check ( $\sqrt{\ }$ ) mark	
□ Contract	☐ Purchase Order	
☐ Job Order	☐ Notice of Award	

□ Notice to Proceed	☐ Certificate of Satisfactory Performance, <i>if</i> available
☐ Sales Invoice	
☐ Official Receipt	☐ Statement of Account showing payment
☐ Certificate of Completion	□ Delivery Receipt
☐ Certificate of Acceptance	□ Others:
For purpose of validating the similar contract, the l	oidder shall provide the following:
a. Name of Contact Person:	
b. Active/Working Telephone (landline/mobile r	number/s) and Fax number/s:
c. Active/Working E-mail address/es:	



#### STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS

Name of the Company:	
Address:	

## STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS, INCLUDING AWARDED BUT NOT YET STARTED

Name of Contract	a. Name of the Procuring Entity; b. Contact Person; c. Address; d. Contact Nos:	a. Contract References (PO/Contract); b. Contract Date c. Contract Duration	a. Estimated Completion or Delivery	Contract Amount	% of Accomplish Planned	nment Actual	Value of Outstanding Works/Undelivered Portion
GOVERNMENT	<b>2</b>	2		R III			
	90		100				
	<b>%</b> =		100	* 1	///		
PRIVATE					///	> 13	
	8/	0 1 0				- 8	
	(A)	0/	( Table 1   1   1   1   1   1   1   1   1   1		Total Co	st 🥌	

This statement shall be supported by:

- 1. Notice of Award;
- 2. Contract, if applicable; and
- 3. Notice to Proceed, if applicable.

Submitted by:

#### NAME OF THE BIDDER OR ITS AUTHORIZED REPRESENTATIVE AND ITS SIGNATURE

Designation





